Benefits of Healthy 11 For newborns/infants	ning and Spacing for Inf For all women	For adolescents
 Lower risk of perinatal death. Infants of adolescent mothers are 1.5 times more likely to die before their first birthday than infants of older mothers, 	• Lower risk of maternal death,	 Adolescents aged 15 – 19 are twice as likely to die during pregnancy or childbirth as those over 20; girls under 15 are five times more likely to die.
• Lower risk of neonatal death	• Lower incidence of induced abortion	• Each year, at least 2 million young women undergo unsafe abortion
• Lower risk of preterm birth	• Lower risk of pre-eclampsia	 Adolescents are more likely to experience pregnancy and delivery related complications such as pre-eclampsia and fistula
• Lower risk of low birth weight.	• Lower risk of miscarriage	 Adolescent mothers are more likely to delivery early or at low birth weight
 Lower risk of small for gestational age 	• Lower risk of anemia	 Unmarried adolescents who give birth may be forced to marry the father, drop out of school, become a single mother or have an unsaf;e abortion, leading to multiple social or health consequences
 Increased benefits of extended breastfeeding 	• Allows for two years of breastfeeding, which is linked with reduced risk of breast and ovarian cancer	• Delaying early childbearing saves lives.

⁴⁰ DaVanzo, Julie, Lauren Hale, Abdur Razzaque, and Mizanur Rahman, "Effects of Interpregnancy Interval and Outcome of the Preceding Pregnancy on Pregnancy Outcomes in Matlab, Bangladesh," *BJOG*, 2007.